UCD VET VIEWS CALIFORNIA CATTLEMEN'S MAGAZINE MARCH 2009

PREPARE FOR A BAD FLY SEASON IN 2009 CURRENT METHODS FOR FLY CONTROL IN BEEF CATTLE

The third year of drought means summer may arrive sooner and fly season may be longer and more severe than usual. Cattle pests, such as flies, cost cattlemen by increasing treatment costs, lost production, irritation to the cattle, and because of the diseases they can transmit. Fly infestations cost the U.S. cattle industries more than \$1.6 billion yearly. Horn flies alone cost cattle producers \$876 million a year. Horn flies are very stressful to cattle because they take 24 to 38 blood meals per day—per fly! California cattlemen report that face flies are the worst pests, followed by horn flies.

Face flies, in addition to producing eye irritation due to their feeding behavior, serve as mechanical carriers of the causative agent of Pinkeye in cattle (infectious bovine keratoconjunctivitis [IBK] caused by the bacterium *Moraxella bovis*). Pinkeye consistently ranks as one of the top five most costly diseases in California beef cattle. Feeding by horn flies, stable flies, horse flies, and other bloodsucking flies mechanically transmits several disease organisms as well as causing irritation and decreased weight gains.

Both face flies and horn flies develop resistance to insecticides over time. For maximum prevention, it is advisable to switch the class of drug you use each year or two. If you used an organophosphate ear tag last year, use a pyrethroid ear tag this year. Additionally, if you plan to use a pyrethroid ear tag this year, use an organophosphate spray this year. Alternating the classes of drugs in this manner will increase the success of your preventive program. It is also recommended that application of ear tags be delayed until the fly population is relatively high so that the possibility of the flies developing resistance this year is lowered. Sprays, back rubbers, face rubbers, and dust bags can be helpful in reducing the fly populations early in the season, before ear tag application. Then, as the fly populations increase, apply the *fresh* ear tags to achieve maximum benefit. Always follow the manufacturer's label directions for ear tag application. If they call for two ear tags--use two ear tags! If you need ear tags to prevent Pinkeye in the calves--use the tags in the calves. In the fall always remove the ear tags. If the ear tags are left in the cattle the flies that over winter—particularly the face flies—will develop resistance to the drug you used and it will no longer be as effective.

Face flies and horn flies lay their eggs in cow manure and the larvae can **only** develop in cow manure. Therefore, some of the compounds that are fed or given orally that kill the larvae in the manure pat can be very effective. One example of this is the insect growth regulator methoprene. This compound is an insect growth regulator (IGR), which is safe, and resistance does not develop to this product. It can be used in "feed through" products, where the drug passes through into the manure unchanged and kills the fly larvae in the manure. Other insecticide products are available that can kill the fly larvae when used as a "feed through", such as Rabon®. Rabon® is an organophosphate and resistance can develop to this compound. Some of the ear tags now contain a compound that increases the effectiveness of the insecticide. One of these compounds is piperonyl butoxide (PBO) and it increases the activity of the primary insecticide in the ear tag.

Some of the products available last year are no longer on the market in California. One of the newer products is a pour-on and spray from Elanco called Elector. This is a new class of insecticides called the spinosads. These products appear to be very safe and effective. Currently they market a pour-on and a spray product; however, they do not have any ear tags approved at the present time. There is a relatively new ear tag called Avenger produced by KMG Animal Health. This tag contains endosulfan, an organochlorine compound that may help with resistance problems.

IMPORTANT DETAILS TO REMEMBER FOR FLY CONTROL AND PESTICIDE USE ARE:

- 1. Plan ahead for insecticide and ear tag purchases; fly season will arrive—probably sooner this year.
- 2. Consult with your veterinarian regarding active ingredient(s) in these products and their record of effectiveness in your area.
- 3. Always follow instructions, warnings, and precautions: these products can be toxic to you, your children, pets, and others working with them around the chute. Use disposable latex gloves when handling the ear tags. Keep the donuts and coffee away from the tags!
- 4. Follow label withdrawal times and keep records of treatment dates, products and lot numbers.

SELECTED CALIFORNIA REGISTERED PESTICIDES FOR BEEF CATTLE: 2009

EAR TAGS

PRODUCT NAME	ACTIVE INGREDIENT	CHEMICAL CLASS	MANUFACTURER
Avenger	Endosulfan	Organochlorine	KMG
Co-Ral Plus	Diazinon + Coumaphos	Organophosphate	Bayer
Cylence Ultra	beta-Cyfluthrin	Pyrethroid+PBO	Bayer
Double Barrel VP	Cyhalothrin + Pirimiphos	Organophosphate	Schering- Plough
Dominator	Pirimiphos	Organophosphate	Schering- Plough
GardStar Plus	Permethrin	Pyrethroid	Y-Tex
OPtimizer	Diazinon	Organophosphate	Y-Tex
Patriot	Diazinon	Organophosphate	KMG
Python & Python Magnum	Zeta-cypermethrin	Pyrethroid	Y-Tex
Saber Extra	Cyhalothrin	Organophosphate	Schering- Plough
Super Deckem	Permethrin	Pyrethroid	Destron- Fearing
Terminator II	Diazinon	Organophosphate	KMG
Warrior	Diazinon + Chlorpyrifos	Organophosphate	Y-Tex
X-Terminator	Diazinon	Organophosphate	Destron- Fearing

SPRAYS

<u>Active Ingredient</u> <u>Example Brand Names</u>

Coumaphos Co-Ral Dichlorvos Vapona

Permethrin Ectiban, Permetrin, Atroban, Permethrin, Insectrin

Tetrachlorvinphos Rabon
Tetrachlorvinphos-Dichlorvos Ravap
Spinosad Elector
Cyhalothrin Standguard

POUR-ON APPLICATIONS

Active Ingredient Example Brand Names

Cyfluthrin Cylence Fenthion Lysoff

Permethrin DeLice, Expar, Hard Hitter, Ectiban, Atroban, Ultraboss,

CyhalothrinSaberSpinosadElectorCyhalothrinStandguard

BACK RUBBERS AND FACE RUBBERS

<u>Active Ingredient</u> <u>Example Brand Names</u>

Permethrin Ectiban, Insectrin

Tetrachlorvinphos-Dichlorvos Ravap

DUST BAGS

Active Ingredient <u>Example Brand Names</u>

Permethrin Permectrin, Ectiban

Tetrachlorvinphos Rabon dust Zeta-cypermethrin Python

FEED-THROUGH INSECTICIDES

Active Ingredient Example Brand Names

Tetrachlorvinphos Rabon oral larvicide Methoprene IGR Mineral, Starbar

Please Note: the active ingredients are available under a number of brand names and those listed are examples only and not specific endorsements or recommendations.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS CAREFULLY.

John Maas, D.V.M., M.S. Diplomate, ACVN & ACVIM Extension Veterinarian School of Veterinary Medicine University of California, Davis